

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

Claims 1-48. (Canceled)

Claim 49. (New) A mobile telephone comprising:
a display panel, the display panel comprising:
a first substrate;
an organic light emitting element over the first substrate; and
a second substrate which is translucent, the second substrate is bonded to the first substrate
through a layer having adhesion,
wherein minute unevennesses are formed on a surface of the second substrate.

Claim 50. (New) A mobile telephone according to claim 49, wherein height of the
minute unevennesses is set to be 0.1 μm to 3 μm .

Claim 51. (New) A mobile telephone according to claim 49, wherein the spacing
between convex portions of the minute unevennesses is set to be 0.05 μm to 1 μm .

Claim 52. (New) A mobile telephone according to claim 49, wherein the first and second
substrates are glass substrates.

Claim 53. (New) A mobile telephone according to claim 49, wherein a thickness of the
layer having adhesion is 10 μm or less.

Claim 54. (New) A digital camera comprising:

a display panel, the display panel comprising:
a first substrate;
an organic light emitting element over the first substrate; and
a second substrate which is translucent, the second substrate is bonded to the first substrate through a layer having adhesion,
wherein minute unevennesses are formed on a surface of the second substrate.

Claim 55. (New) A digital camera according to claim 54, wherein height of the minute unevennesses is set to be 0.1 μm to 3 μm .

Claim 56. (New) A digital camera according to claim 54, wherein the spacing between convex portions of the minute unevennesses is set to be 0.05 μm to 1 μm .

Claim 57. (New) A digital camera according to claim 54, wherein the first and second substrates are glass substrates.

Claim 58. (New) A digital camera according to claim 54, wherein a thickness of the layer having adhesion is 10 μm or less.

Claim 59. (New) A mobile telephone comprising:
a display panel, the display panel comprising:
a first substrate;
an organic light emitting element over the first substrate; and
a second substrate which is translucent, the second substrate is bonded to the first substrate through a layer having adhesion,
wherein minute unevennesses are formed on a surface of the second substrate, and
wherein a surface of the second substrate opposing the first substrate comprises a first thickness at a first region and a second thickness at a second region, the first region is adhered with the layer having adhesion, and the second region is located inside the first region and concaved relative to the first region.

Claim 60. (New) A mobile telephone according to claim 59, wherein height of the minute unevennesses is set to be 0.1 μm to 3 μm .

Claim 61. (New) A mobile telephone according to claim 59, wherein the spacing between convex portions of the minute unevennesses is set to be 0.05 μm to 1 μm .

Claim 62. (New) A mobile telephone according to claim 59, wherein the first and second substrates are glass substrates.

Claim 63. (New) A mobile telephone according to claim 59, wherein a thickness of the layer having adhesion is 10 μm or less.

Claim 64. (New) A digital camera comprising:
a display panel, the display panel comprising:
a first substrate;
an organic light emitting element over the first substrate; and
a second substrate which is translucent, the second substrate is bonded to the first substrate through a layer having adhesion,
wherein minute unevennesses are formed on a surface of the second substrate, and
wherein a surface of the second substrate opposing the first substrate comprises a first thickness at a first region and a second thickness at a second region, the first region is adhered with the layer having adhesion, and the second region is located inside the first region and concaved relative to the first region.

Claim 65. (New) A digital camera according to claim 64, wherein height of the minute unevennesses is set to be 0.1 μm to 3 μm .

Claim 66. (New) A digital camera according to claim 64, wherein the spacing between convex portions of the minute unevennesses is set to be 0.05 μm to 1 μm .

Claim 67. (New) A digital camera according to claim 64, wherein the first and second substrates are glass substrates.

Claim 68. (New) A digital camera according to claim 64, wherein a thickness of the layer having adhesion is 10 μm or less.

Claim 69. (New) A mobile telephone comprising:
a display panel, the display panel comprising:
a first substrate;
an organic light emitting element over the first substrate; and
a second substrate which is translucent, the second substrate is bonded to the first substrate through a layer having adhesion,
wherein minute unevennesses are formed on a surface of the second substrate,
wherein a surface of the second substrate opposing the first substrate comprises a first region, a second region, and a third region, the first region is adhered with the layer having adhesion, the second region is located inside the first region and concaved relative to the first region, the third region is located inside the second region and concaved relative to the second region, and
wherein a dry agent is provided in the third region.

Claim 70. (New) A mobile telephone according to claim 69, wherein height of the minute unevennesses is set to be 0.1 μm to 3 μm .

Claim 71. (New) A mobile telephone according to claim 69, wherein the spacing between convex portions of the minute unevennesses is set to be 0.05 μm to 1 μm .

Claim 72. (New) A mobile telephone according to claim 69, wherein the first and second substrates are glass substrates.

Claim 73. (New) A mobile telephone according to claim 69, wherein a thickness of the layer having adhesion is 10 μm or less.

Claim 74. (New) A digital camera comprising:
a display panel, the display panel comprising:
a first substrate;
an organic light emitting element over the first substrate; and
a second substrate which is translucent, the second substrate is bonded to the first substrate through a layer having adhesion,
wherein minute unevennesses are formed on a surface of the second substrate,
wherein a surface of the second substrate opposing the first substrate comprises a first region, a second region, and a third region, the first region is adhered with the layer having adhesion, the second region is located inside the first region and concaved relative to the first region, the third region is located inside the second region and concaved relative to the second region, and
wherein a dry agent is provided in the third region.

Claim 75. (New) A digital camera according to claim 74, wherein height of the minute unevennesses is set to be 0.1 μm to 3 μm .

Claim 76. (New) A digital camera according to claim 74, wherein the spacing between convex portions of the minute unevennesses is set to be 0.05 μm to 1 μm .

Claim 77. (New) A digital camera according to claim 74, wherein the first and second substrates are glass substrates.

Claim 78. (New) A digital camera according to claim 74, wherein a thickness of the layer having adhesion is 10 μm or less.